

REACTIVI DE LABORATOR SI CONSUMABILE ANALIZOARE

I.D.: 46087512

Data publicarii	06.05.20	Coduri CPV	33696500-0 24931250-6 33696000-5 33141625-7 24959200-3
-----------------	----------	------------	--

Pretul estimativ:

- 1.560,00 RON - 1.599,00 RON
- 20.129,00 RON - 29.588,50 RON
- 3.451,00 RON - 4.200,00 RON
- 6.578,60 RON - 11.712,50 RON
- 64.740,47 RON - 78.632,64 RON
- 5.744,00 RON - 9.100,00 RON
- 2.144,00 RON - 3.216,00 RON
- 9.051,50 RON - 12.317,50 RON
- 22.930,00 RON - 28.235,00 RON
- 450,00 RON - 900,00 RON
- 236,00 RON - 334,10 RON
- 1.579,90 RON - 2.241,00 RON
- 1.393,05 RON - 2.606,40 RON
- 710,60 RON - 794,90 RON

Descriere: 14. XIV BACTERIOLOGIE, Columbia agar +5% sange de berbec (kit 10 placi), cant. min.= 40, cant.max.= 41.. 17. XVII REACTIVI IMUNOLOGIE SI CONSUMABILE ANALIZOR MINDRAY CL 1000 imuno, Cupe ser 3ml(250), cant. min.= 3, cant. max.= 4; Cuvettes for CL 1000i-88 buc, cant. min.= 35, cant. max.= 36; Detergent - 1l/bottle, cant.min.= 4, cant. max.= 5; FT4 Calibrator 3x2ml, cant.min.= 2, cant. max. =3; Kit revizie, cant.min.= 1,cant.max.=2; PSA Calibrator 3x2ml, cant.min.=2, cant.max.= 3; Reactiv FT4 2x50 teste, cant.min.=3, cant.max.= 4; Reactiv PSA 2x50 teste, cant.min.= 2, cant.max.=3; Reactiv TSH 2x50 teste, cant. min.=2, cant.max.=3; Substrate solution 115 ml, cant.min.= 2, cant.max.=3; Thyroid Function Multicontrol (H) - 5ml, cant.min.=2, cant.max.=3; Thyroid Function Multicontrol (L) - 5ml, cant.min.= 2, cant. max.= 3; TSH Calibrator 3x2ml, cant.min.=3, cant.max.=4; Tumor Marker Multicontrol (H) - 5ml, cant.min.=2, cant.max.= 3;Tumor Marker Multicontrol (L) -5ml, cant.min.=2, cant. max.=3; Wash buffer 10L/tank, cant.min.=6, cant. max.= 7; Waste box for CL 1000i 10 units/box, cant. min.=3, cant.max.=4. 7. LOT VII REACTIVI URINI - URIT 180, Stripuri urinare 11 parametrix100buc, cant. min.= 35, cant. max.= 36; Urina de control (3 nivele) 3x8ml, cant. min.= 3, cant. max.=4 ; Kit revizie, cant. min.= 1, cant. max.= 2;. 11. LOT XI REACTIVI SI CONSUMABILE ANALIZOR ELECTROLITI EASY LITE, Electrod K, cant. min.= 2, cant. max.=3; Electrod Na, cant. min.= 1, cant. max.= 2; Kit revizie, cant. min.= 1, cant. max.=2; Kit reactivi NA/K 800 ml, cant. min. =1, cant. max.=2; Kit spalare zilnica 90 ml, cant. min.= 2, cant. max.=3. 4. LOT IV REACTIVI BIOCHIMIE- PENTRA 400, Acid uric 220 teste, cant.min.=8, cant.max.=9; ALP 125 teste, cant.min.= 13, cant.max.=14; ALT 250 teste, cant.min.= 20, cant.max.= 21; Lipaza 100 teste, cant.min.= 12, cant. max.= 13; AST 250 teste, cant.min.= 15, cant.max.=16; Bilirubina directa 100 teste, cant.min.= 13, cant.max.=14; Bilirubina totala 130 teste, cant.min.= 14, cant.max.= 15; Calciu 250 teste, cant.min.= 3, cant.max.= 4; Colesterol 344 teste, cant. min.= 7, cant. max.= 8; Creatin Kinaza 125 teste, cant. min.= 6, cant. max.= 7; Creatinina 120 teste, cant.min.= 41, cant. max.= 42; Deproteinizer 30 ml,

cant.min.= 8, cant.max.=9; Fier 282 teste, cant. min.= 5, cant. max.= 6; Fosfor 100 teste, cant. min.= 1, cant.max.= 2; Gama GT 250 teste, cant. min.= 5, cant. max.= 6; Glucoza 295 teste cant. min.= 16, cant. max.= 17; HDL 240 teste, cant.min.= 3, cant. max.= 4; LDH 125 teste, cant.min.= 3, cant.max.= 4; N Control 10x5ml, cant.min.= 2, cant. max.= 3; One HBA1c FS 300 teste, cant.min.= 3, cant.max.= 4; P Control 10x5ml, cant.min.= 2, cant.max.= 3; HDL Cal 2x1ml, cant.min.= 5, cant.max.= 6; Cleam chem, cant. min.= 3, cant.max.= 4; Cuvete segments 450x12, cant.min.= 12, cant.max.=13; HbA1c Calibrator TruCal set 4 nivele 4x0,25 ml, cant.min.= 3, cant.max.=4; HbA1C WB Control TruLab nivel 1- 4x0,25 ml, cant.min.=2, cant.max.= 3; HbA1c WB Control TruLab nivel 2- 4x0,25 ml, cant. min.= 2, cant. max.= 3; Kit revizie, cant. min.= 1, cant.max.=2; Magneziu 200 teste, cant.min.= 10, cant.max.=11; Micro albumin CP 150 Teste, cant.min.= 1, cant.max.=2; Micro albumin CAL 3x1ml, cant.min.= 1, cant.max.=2; Micro albumin Control L/H 2x10ml, cant.min.= , cant. max.= 2; Multi calibrator 10x3ml, cant. min.= 2, cant.max.=3; One HbA1c Hemolyzing solution 500 teste/flacon, cant.min.= 5, cant.max.=6; Proteine totale 100 teste, cant.min.= 10, cant.max.= 11; Sample cups 1000 buc/cutie, cant. min.= 6, cant. max.= 7; Trigliceride 295 teste, cant.min.= 8, cant.max.= 9; Uree 220 teste, cant.min.= 20, cant. max.= 21.. 10. X MEDII DE CULTURA DESHIDRATATE, Agar nutritiv 500g, cant. min.=2, cant. max.=3; Agar Mac Conkei 500g, cant. min.=2, cant.max.=3; Agar CIN (Yersinia) 500g, cant. min.=2, cant.max.= 3; Supliment Selectiv Yersinia 10 fiole, cant.min.= 2, cant. max.=3; Salmonella shigella agar 500g , cant. min.= 2, cant. max.= 3;Manitol salt agar 500g, cant. min.= 2, cant. max.= 3; Mediu cromogen UTI 500g, cant.min.=2, cant. max.= 3; Mediu MIU 500g, cant. min.= 1cant. max.2; Agar Bila Esculina 500g, cant.min.=2, cant. max.3; Bulion nutritiv 500g, cant.min. =2, cant. max.= 3;Agar Mueller Hinton 500g, cant.min.= 2, cant. max.= 3; Agar TSI 500g, cant.min.=2, cant. max. 3; Sabourand dextrose agar+Cloranf+Gentam 500g, cant. min.= 2, cant. max.= 3; Mediu Cary Blair 500g, cant. min.= 2, cant. max.=3; Agar Simmons Citrat 500g, cant. min.= 2, cant. max.=3;. 13. XIII SERURI, Ser E coli Enteropatogen 5 fiole/1ml, cant. min.= 2, cant.max.=3, Kit identificare staphylococoss100 teste, cant. min.=2, cant. max.3; Kit identificare streptococcal Grouping 50 teste, cant. min.=2, cant. max.= 3;. 6. LOT VI REACTIVI COAGULARE TROMBOTIMER, Clorura de calciu 100 ml, cant. min.= 3, cant. max.= 4; Control normal, cant. min.= 3, cant. max.= 4; Control patologic, cant.min.= 3, cant. max.= 4; Cuve si bile metalice 1000 buc/cutie, cant. min.=4, cant. max.= 5; Fibrinogen Reagent 5x5ml, cant. min.= 2, cant. max.= 3; Kit revizie, cant. min.= 1, cant. max.= 2; Plasma referinta 1ml, cant. min.=2, cant. max.= 3;Siron LS aptt liquid 2x4ml, cant. min.= 20, cant.max.= 21; Solutie tampon imidazol fibriogen 50ml, cant. min.= 1, cant. max.= 2; Suspensie caolina fibriogen 50ml, cant. min. =2, cant. max.= 3; Technoplastin 2x10ml, cant. min.= 25, cant. max.=26. 5. LOT V- REACTIVI HEMATOLOGIE MINDRAY BC 5380, M - 53 D Diluent 20L, cant. min. = 20, cant. max.= 21; M - 53 LEO (I) Lyse 1L, cant. min. = 11, cant. max.=12; M - 53 LEO (II) 200ml, cant. min.= 10, cant. max. =11; M - 53 LH Lyse 500 ml, cant. min.= 10, cant. max. 11; M - 53 Probe cleanser 50 ml, cant. min. = 6, cant. max. = 7; Control hematologic valori crescute 3ml, cant. min.= 4, cant. max.= 5; Control hematologic valori normale 3ml, cant.min.= 4, cant. max. = 5; Control hematologic valori scazute 3ml, cant. min.= 4, cant. max.= 5; Calibrator 2x1ml, cant. min.= 1, cant. max. = 2; Kit revizie, cant. min. =1, cant. max.= 2;. 16. XVI CONTROL INTERN BACTERIOLOGIE - flacon x 10 discuri, Tulpina referinta Escherichia coli ATCC 25922, cant. min.=1, cant. max. 2; Tulpina referinta Pseudomonas aeruginosa ATCC 2788, cant. min.= 1, cant. max.=2; Tulpina referinta Staphylococcus aureus ATCC 25925, cant. min. =1, cant. max. = 2. 8. LOT VIII REACTIVI DETERMINARE GRUPE SANGUINE METODA BETH VINCENT, ANTI A 1x10ml, cant. min.= 2, cant. max.= 3; ANTI B 1x10ml, cant. min.= 2, cant. max.= 3; ANTI AB 1x10ml, cant. min.=2, cant. max.=3, ANTI D 1x10ml, cant. min.= 2, cant.max.= 3; PAPAINA 10ml, cant. min.= 3, cant. max. 4;. 3. LOT III-SEROLOGIE CASETE TESTE RAPIDE, Ag HBS 50 TESTE/CUTIE- CANT.MIN=3, cant.max.=4; Anti HIV CASETE 50 TESTE - cant.min.= 2, cant. max. = 3; ANTICORPI HCV 50 TESTE/CUTIE - cant.min. = 3, cant. max.= 4; ANTICORPI HELICOBACTER PYLORI KIT 30 TESTE - cant. min.= 5, cant. max. 6; ANTIGEN HELICOBACTER PYLORI KIT 30 TESTE - cant. min. = 2, cant. max. = 3; CLOSTRIDIUM TOXINA A&B 25 teste - cant. min.=2, cant.max. = 3; HEMORAGII OCULTE KIT 25 TESTE - cant. min. = 2, cant. max. = 3;. 1. LOT I- ANTIBIOGRAME, ANTIBIOGRAME CUTIE CU 5 CARTUSE X 50 DISCURII Amikacin- cant. min =2, cant. max.=3; Amoxiciclin+Clavulanic acid- cant. min.= 1, cant.max.= 2; Acid nalidixic - cant. min. =2, cant. max. =3; Ampicilin - cant. min.= 1, cant. max. = 2; Ampicilin + Sulbactam - cant. min.= 1, cant. max.= 2, Azitromicina - cant. min.= 1, cant. max. = 2; Bacitracin- cant. min. = 1, cant. max. = 2; Cefoxitin - cant. min. = 1, cant. max. = 2; Cefprozidime - cant. min. = 1, cant. max. = 2, Ceftriaxone - cant. min= 1, cant. max. = 2, Cefuroxime- cant. min. = 1, cant. max. = 2; Ciprofloxacina- cant. min.=2, cant. max. = 3; Claritromycin- cant. min. = 1, cant. max. = 2; Clindamicina - cant. min. = 1, cant. max. = 2; Colistin - cant. min. = 1, cant. max. = 2; Doxycycline - cant. min. = 1, cant. max. = 2; Erytromycin - cant. min. = 1, cant. max. = 2; Fosfomicina - cant. min. = 1, cant. max. = 2; Furazolidon - cant. min. = 1, cant. max. =2;

Gentamicin 10- cant. min. = 1, cant. max. = 2; Gentamicin 120- cant. min. = 1, cant. max. = 2; Imipenem - cant. min. = 1, cant. max. = 2; Levofloxacin - cant. min. = 1, cant. max.=2; Linezolid - cant. min. = 1, cant. max. =2; Moxifloxacin - cant. min. = 1, cant. max. = 2; Meropenem - cant. min. = 1, cant. max.= 2; Nitrofurantoin - cant. min. = 1, cant. max. = 2; Optochin - cant. min. = 1, cant. max. = 2; Oxidase - cant. min. = 1, cant. max. = 2; Penicilina - cant. min. = 2, cant. max. =3; Piperacilin + Tazobactam - cant. min. = 1, cant. max.= 2; Tetracycline - cant. min. = 1, cant. max.= 2; Tobramycin - cant. min. = 1 , cant. max. = 2; Trimethoprim + Sulphamethoxazole - cant. min. = 2, cant. max. = 3; Vancomycin - cant. min. = 1 , cant.max. = 2.. 2. LOT II - SEROLOGIE LATEX TESTE RAPIDE, ASLO 100 TESTE- cant. min. = 3, cant. max. = 4; CRP KIT 100 TESTE - cant. min. = 26, cant. max. 27; RF 100 TESTE - cant. min. = 3, cant. max. 4; VDRL KIT 100 TESTE - cant. min. = 3, cant. max. = 4.
