

REACTIVI LABORATOR SI CONSUMABILE ANALIZOARE

I.D.: 57030096

Data publicarii	18.05.21	Coduri CPV	33696500-0	33696100-6	24931250-6	33696000-5	24200000-6
			33141000-0	33141625-7	24959200-3		

Pretul estimativ: 59.863,86 RON -
82.064,90 RON
9.128,60 RON -
13.253,30 RON
447,90 RON -
895,80 RON
2.435,00 RON -
3.330,00 RON
797,82 RON -
1.245,45 RON
454,00 RON -
908,00 RON
23.780,00 RON -
31.870,00 RON
8.749,00 RON -
11.973,00 RON
247,00 RON -
494,00 RON
1.144,50 RON -
2.289,00 RON
394,48 RON -
788,96 RON
2.477,00 RON -
3.396,00 RON
1.560,00 RON -
1.950,00 RON
18.307,75 RON -
25.189,00 RON
4.800,00 RON -
7.200,00 RON
2.259,83 RON -
2.512,13 RON
1.359,50 RON -
3.507,00 RON
1.080,23 RON -
1.777,10 RON
553,60 RON -
743,20 RON
840,00 RON -
1.375,75 RON

Descriere: 4. LOT IV REACTIVI BIOCHIMIE- PENTRA 400, Acid uric 220 teste, cant.min.=7, cant.max.=9; ALP 125 teste, cant.min.= 15, cant.max.=20; ALT 250 teste, cant.min.= 20, cant.max.= 27; Lipaza 100 teste, cant.min.= 4, cant. max.= 6; AST 250 teste, cant.min.= 15, cant.max.=25; Bilirubina directa 100 teste, cant.min.= 15, cant.max.=20; Bilirubina totala 130 teste, cant.min.= 10, cant.max.= 17; Calciu 250 teste, cant.min.= 5, cant.max.= 7; Colesterol 344 teste, cant. min.= 5, cant. max.= 10; Creatin Kinaza 125 teste, cant. min.= 10, cant. max.= 12; Creatinina 120 teste, cant.min.= 41, cant. max.= 60; Deproteinizer 30 ml, cant.min.= 10, cant.max.=13; Fier 282 teste, cant. min.= 5, cant. max.= 6; Fosfor 100 teste, cant. min.= 1, cant.max.= 1; Gama GT 250 teste, cant. min.= 5, cant. max.= 8; Glucoza 295 teste cant. min.= 18, cant. max.= 25; HDL 240 teste, cant.min.= 4, cant. max.= 6; LDH 125 teste,

cant.min.= 3, cant.max.= 4; N Control 10x5ml, cant.min.= 2, cant. max.= 2; One HBA1c FS 300 teste, cant.min.= 3, cant.max.= 4; P Control 10x5ml, cant.min.= 1, cant.max.= 2; HDL Cal 2x1ml, cant.min.= 2, cant.max.= 3; Cleam chem, cant. min.= 2, cant.max.= 3; Cuvete segments 450x12, cant.min.= 12, cant.max.=13; HbA1c Calibrator TruCal set 4 nivele 4x0,25 ml, cant.min.= 1, cant.max.=2; HbA1C WB Control TruLab nivel 1-4x0,25 ml, cant.min.=2, cant.max.= 3; HbA1c WB Control TruLab nivel 2- 4x0,25 ml, cant. min.= 2, cant. max.= 3; Kit revizie, cant. min.= 1, cant.max.=1; Magneziu 200 teste, cant.min.= 10, cant.max.=16; Micro albumin CP 150 Teste, cant.min.= 1, cant.max.=1; Micro albumin CAL 3x1ml, cant.min.= 1, cant.max.=1; Micro albumin Control L/H 2x10ml, cant.min.= 1, cant. max.= 1; Multi calibrator 10x3ml, cant. min.= 1, cant.max.=2; One HbA1c Hemolyzing solution 500 teste/flacon, cant.min.= 1, cant.max.=2; Proteine totale 100 teste, cant.min.= 10, cant.max.= 14; Sample cups 1000 buc/cutie, cant. min.= 4, cant. max.= 5; Trigliceride 295 teste, cant.min.= 8, cant.max.= 11; Uree 220 teste, cant.min.= 20, cant. max.= 28, Lampa LRLS 1203001320 cant. min = 1, cant. max = 2.. 11. LOT XI REACTIVI SI CONSUMABILE ANALIZOR ELECTROLITI EASY LITE, Electrod K, cant. min.= 1, cant. max.=1; Electrod Na, cant. min.= 1, cant. max.= 1; Kit revizie, cant. min.= 1, cant. max.=1; Kit reactivi NA/K 800 ml, cant. min. =3, cant. max.=5; Kit spalare zilnica 90 ml, cant. min.= 2, cant. max.=3. 16. XVI CONTROL INTERN BACTERIOLOGIE - flacon x 10 discuri, Tulpina referinta Escherichia coli ATCC 25922, cant. min.=1, cant. max. 2; Tulpina referinta Pseudomonas aeruginosa ATCC 2788, cant. min.= 1, cant. max.=2; Tulpina referinta Staphylococcus aureus ATCC 25925, cant. min. =1, cant. max. = 2. 9. IX REACTIVI DETERMINAREA GRUPE SANGUINE METODA SIMONIN, DiaCELL A1,B SI 0 (3flx10ml), cant.min.=8, cant.max.=12; Serafol AB0+D cutie 50 carduri, cant. min.= 5, cant. max.= 6.. 8. LOT VIII REACTIVI DETERMINARE GRUPE SANGUINE METODA BETH VINCENT, ANTI A 1x10ml, cant. min.= 11, cant. max.= 17; ANTI B 1x10ml, cant. min.= 11, cant. max.= 17; ANTI AB 1x10ml, cant. min.=11, cant. max.=17, ANTI D 1x10ml, cant. min.= 11, cant.max.= 18; PAPAINA 10ml, cant. min.= 4, cant. max. 6;. 15. XV PANEL IDENTIFICARE, Enterotest 24N - 40 teste, cant.min.= 1, cant. max.= 2. 5. LOT V- REACTIVI HEMATOLOGIE MINDRAY BC 5380, Calibrator 2x1ml, cant. min.= 1, cant. max. = 1; Control hematologic valori crescute 3ml, cant. min.= 4, cant. max.= 6; Control hematologic valori normale 3ml, cant.min.= 4, cant. max. = 6; Control hematologic valori scazute 3ml, cant. min.= 4, cant. max.= 6; ; Kit revizie, cant. min. =1, cant. max.= 1; M - 53 D Diluent 20L, cant. min. = 20, cant. max.= 24; M - 53 LEO (I) Lyse 1L, cant. min. = 11, cant. max.=15; M - 53 LEO (II) 200ml, cant. min.= 10, cant. max. =15; M - 53 LH Lyse 500 ml, cant. min.= 10, cant. max. 15; M - 53 Probe cleanser 50 ml, cant. min. = 16, cant. max. = 24;. 6. LOT VI REACTIVI COAGULARE TROMBOTIMER, Clorura de calciu 100 ml, cant. min.= 2, cant. max.= 3; Control normal (cutie 10 fl x 1 ml), cant. min.= 2, cant. max.= 4; Control patologic (cutie 10 fl x 1 ml), cant.min.= 2, cant. max.= 4; Cuve si bile metalice 1000 buc/cutie, cant. min.=4, cant. max.= 6; Fibrinogen Reagent 5x5ml, cant. min.= 2, cant. max.= 3; Kit revizie, cant. min.= 1, cant. max.= 1; Plasma referinta 1ml, cant. min.=1, cant. max.= 1; Siron LS aptt liquid 2x4ml, cant. min.= 20, cant.max.= 24; Solutie tampon imidazol fibriogen 50ml, cant. min.= 1, cant. max.= 2; Suspensie caolina fibriogen 50ml, cant. min. =1, cant. max.= 2; Technoplastin 2x10ml, cant. min.= 25, cant. max.=36. 12. XII SUBSTANTE COLORANTE, Kit coloratie Gram 5x250ml, cant. min.= 1, cant. max.= 2; Kit coloratie Panoptica 3x1L, cant. min.= 1, cant. max.= 2;. 13. XIII SERURI, Ser E coli Enteropatogen 5 fiole/1ml, cant. min.= 1, cant.max.=2, Kit identificare staphylococoss100 teste, cant. min.=1, cant. max.2; Kit identificare streptococcal Grouping 50 teste, cant. min.=1, cant. max.= 2;. 20. MEDIU CROMOGEN UTI, MEDIU CROMOGEN UTI - CANT MIN 1, CANT MAX 2. 7. LOT VII REACTIVI URINI - URIT 180, Stripuri urinare 11 parametrix100buc, cant. min.= 35, cant. max.= 36; Urina de control (3 nivele) 3x8ml, cant. min.= 1, cant. max.=2 ; Kit revizie, cant. min.= 1, cant. max.= 1;. 14. XIV BACTERIOLOGIE, Columbia agar +5% sange de berbec (kit 10 placi), cant. min.= 40, cant.max.= 50.. 17. XVII REACTIVI IMUNOLOGIE SI CONSUMABILE ANALIZOR MINDRAY CL 1000 imuno, Cupe ser 3ml(250), cant. min.= 3, cant. max.= 4; Cuvettes for CL 1000i-88 buc, cant. min.= 25, cant. max.= 36; Detergent - 1l/bottle, cant.min.= 1, cant. max.= 1; FT4 Calibrator 3x2ml, cant.min.= 2, cant. max. =3; Kit revizie, cant.min.= 1,cant.max.=1; PSA Calibrator 3x2ml, cant.min.=2, cant.max.= 2; Reactiv FT4 2x50 teste, cant.min.=3, cant.max.= 4; Reactiv PSA 2x50 teste, cant.min.= 2, cant.max.=3; Reactiv TSH 2x50 teste, cant. min.=2, cant.max.=4; Substrate solution 115 ml, cant.min.= 10, cant.max.=12; Thyroid Function Multicontrol (H) - 5ml, cant.min.=1, cant.max.=2; Thyroid Function Multicontrol (L) - 5ml, cant.min.= 1, cant. max.= 3; TSH Calibrator 3x2ml, cant.min.=2, cant.max.=3; Tumor Marker Multicontrol (H) - 5ml, cant.min.=1, cant.max.= 2;Tumor Marker Multicontrol (L) -5ml, cant.min.=1, cant. max.=2; Wash buffer 10L/tank, cant.min.=6, cant. max.= 7; Waste box for CL 1000i 10 units/box, cant. min.=1, cant.max.=2. 19. CONSUMABILE ANALIZOR GAZE EDAN i15, CARTUS DE CALIBRARE CP 100 - CANT MIN 8, CANT MAX 12, TEST CARTRIDGE BG10 - CANT MIN 4, CANT MAX 6. 10. X MEDII DE CULTURA DESHIDRATATE, Agar Bila Esculina 500g, cant.min.=1, cant. max.1; Agar CIN (Yersinia) 500g, cant. min.=1, cant.max.= 1; Agar Mac Conkey 500g, cant.

min.=1, cant.max.=1; Agar Mueller Hinton 500g, cant.min.= 1, cant. max.= 2; Agar nutritiv 500g, cant. min.=1, cant. max.=1; Agar Simmons Citrat 500g, cant. min.= 1, cant. max.=1 ; Agar TSI 500g, cant.min.=1, cant. max. 1; Bulion nutritiv 500g, cant.min. =1, cant. max.= 1; Manitol salt agar 500g, cant. min.= 1, cant. max.= 2; Mediu Cary Blair 500g, cant. min.= 1, cant. max.=1; Mediu MIU 500g, cant. min.= 1cant. max.1; Sabourand dextrose agar+Cloranf+Gentam 500g, cant. min.= , cant. max.= 1; Salmonella shigella agar 500g , cant. min.= 1, cant. max.= 1; Supliment Selectiv Yersinia 10 fiole, cant.min.= 1, cant. max.=1. 18. XVIII ALTE TESTE SEROLOGIE CASETE, D-Dimeri 20 teste, cant. min.= 4, cant.max.= 14; Influenza A+B 30 teste, cant.min.= 1, cant. max.= 2; Rotavirus kit 50 teste, cant.min.=3, cant.max.= 5; Troponin I 25 teste, cant.min.= 2, cant.max.=8;. 1. LOT I - ANTIBIOGRAME, ANTIBIOGRAME CUTIE CU 5 CARTUSE X 50 DISCURI Amikacin- cant. min =1, cant. max.=3; Amoxiciclin+Clavulanic acid- cant. min.= 1, cant.max.= 2; Ampicilin - cant. min.= 1, cant. max. = 2; Ampicilin + Sulbactam - cant. min.= 1, cant. max.= 1, Azitromicina - cant. min.= 1, cant. max. = 2; Bacitracin- cant. min. = 1, cant. max. = 2; Cefepim - cant. min= 1, cant. max =1; Cefotaxim - cant min = 1, cant max. = 1; Cefoxitin - cant. min. = 1, cant. max. = 2; Ceftazidime - cant. min. = 1, cant. max. = 2, Ceftriaxone - cant. min= 1, cant. max. = 2, Cefuroxime- cant. min. = 1, cant. max. = 2; Ciprofloxacin- cant. min.=2, cant. max. = 3; Claritromycin- cant. min. = 1, cant. max. = 2; Clindamicina - cant. min. = 1, cant. max. = 2; Colistin - cant. min. = 1, cant. max. = 1; Doxycycline - cant. min. = 1, cant. max. = 1; Erytromycin - cant. min. = 1, cant. max. = 2; Fosfomicina - cant. min. = 1, cant. max. = 2; Furazolidon - cant. min. = 1, cant. max. =1; Gentamicin 10- cant. min. = 1, cant. max. = 2; Gentamicin 120- cant. min. = 1, cant. max. = 1; Imipenem - cant. min. = 1, cant. max. = 2; Levofloxacin - cant. min. = 1, cant. max.=2; Linezolid - cant. min. = 1, cant. max. =3; Moxifloxacin - cant. min. = 1, cant. max. = 2; Meropenem - cant. min. = 1, cant. max.= 2; Nitrofurantoin - cant. min. = 1, cant. max. = 2; Novobiocina - cant. min = 1, cant. max. = 1; Optochin - cant. min. = 1, cant. max. = 2; Oxidase - cant. min. = 1, cant. max. = 2; Penicilina - cant. min. = 1, cant. max. =1; Piperacilin + Tazobactam - cant. min. = 1, cant. max.= 2; Tetracycline - cant. min. = 1, cant. max.= 2; Tobramycin - cant. min. = 1 , cant. max. = 2; Trimethoprim + Sulphamethoxazole - cant. min. = 2, cant. max. = 3; Vancomycin - cant. min. = 1 , cant.max. = 2.. 2. LOT II - SEROLOGIE LATEX TESTE RAPIDE, ASLO 100 TESTE- cant. min. = 3, cant. max. = 4; CRP KIT 100 TESTE - cant. min. = 20, cant. max. 24; RF 100 TESTE - cant. min. = 1, cant. max. 2; VDRL KIT 100 TESTE - cant. min. = 3, cant. max. = 6. 3. LOT III- SEROLOGIE CASETE TESTE RAPIDE, Ag HBS 50 TESTE/CUTIE- CANT.MIN=2, cant.max.=3; Anti HIV CASETE 50 TESTE - cant.min.= 1, cant. max. = 2; ANTICORPI HCV 50 TESTE/CUTIE - cant.min. = 2, cant. max.= 3; ANTICORPI HELICOBACTER PYLORI KIT 30 TESTE - cant. min.= 2, cant. max. 4; ANTIGEN HELICOBACTER PYLORI KIT 30 TESTE - cant. min. = 3, cant. max. = 4; CLOSTRIDIUM TOXINA A&B 25 teste - cant. min.=1, cant.max. = 2; HEMORAGII OCULTE KIT 25 TESTE - cant. min. = 2, cant. max. = 3;.
