

CEREDIN FORTE 464 SL

I.D.: 68927331

Data publicarii	05.05.22	Coduri CPV	24453000-4
-----------------	----------	------------	------------

Pretul estimativ: 209,52 RON - 209,52 RON

Descriere: CEREDIN FORTE 464 SL, erbicid selectiv si sistemic, ce actioneaza asupra buruienilor dicotiledonate atat prin absorbtie la nivelul frunzelor, cat si a sistemului radicular, folosit in culturile de Porumb si Grau. Substante active: • acid 2,4 D sare de dimetilamina (SDMA) 344 g/l • dicamba 120 g/l Omologari Erbicid CEREDIN FORTE 464 SL Grau Buruieni combatute: Buruieni dicotiledonate anuale si perene Doza: 0,8 - 1,0 l/ha, postemergent, in functie de gradul de infestare si talia buruienilor (la grau in faza de infratire - formarea primului internod, iar la buruienile dicotiledonate in stadiul de la 2 - 4 frunze) (BBCH 21-30) Porumb Buruieni combatute: Buruieni dicotiledonate anuale si perene Doza: 1,0 l/ha, postemergent (la porumb in faza de 4 - 6 frunze, iar la buruienile dicotiledonate la 2 - 4 frunze si Cirsium < 10 cm inaltime) (BBCH 14-16) Buruieni combatute: • Stir (Amaranthus retroflexus) • Teisor (Abuthilon theoprasti) • Romanita (Anthemis arvensis) • Mustar negru (Brassica nigra) • Loboda salbatica (Chenopodium album) • Traista ciobanului (Capsella bursa pastoris) • Palamida (Cirsium arvense) • Volbura (Convolvulus arvensis) • Nemtisor de camp (Delphinium consolida) • Fumarita (Fumaria officinallis) • Musetel (Matricaria chamomilla) • Troscot (Polygonum aviculare) • Hrisca (Polygonum convolvulus) • Mur (Rubus caesius) • Rocoina (Stelaria media) • Voinicica (Sisymbrium officinale) • Susai (Sonchus arvensis) Mod de actiune Erbicid CEREDIN FORTE 464 SL Ceredin Forte 464
