

## ACORD CADRU FURNIZARE MEDICAMENTE

I.D.: 96280041

Data publicarii 23.04.24 Coduri CPV 33690000-3

Pretul estimativ: 9.600,00 RON - 9.600,00 RON  
7.200,00 RON - 7.200,00 RON  
5.760,00 RON - 5.760,00 RON  
10.656,00 RON - 10.656,00 RON  
346.080,00 RON - 346.080,00 RON  
120.000,00 RON - 120.000,00 RON  
65.376,00 RON - 65.376,00 RON  
28.800,00 RON - 28.800,00 RON  
48.672,00 RON - 48.672,00 RON  
50.880,00 RON - 50.880,00 RON  
5.760,00 RON - 5.760,00 RON  
72.000,00 RON - 72.000,00 RON  
48.000,00 RON - 48.000,00 RON  
60.000,00 RON - 60.000,00 RON  
7.680,00 RON - 7.680,00 RON  
19.680,00 RON - 19.680,00 RON  
55.200,00 RON - 55.200,00 RON  
246.960,00 RON - 246.960,00 RON

Descriere: 47. COMBINATII (ARGININA SORBITOL)SOL. PERF.50 g/l + 100 g/l, cant minima/maxima ctr subsecv=500/700, cant minima/maxima acord cadru=12000/16800. 30. LANOLINA HIPOALERGICA, OXID DE ZINC, ALCOOL BENZILIC, BENZOAT DE BENZILCREMA, cant minima/maxima ctr subsecv=40/100, cant minima/maxima acord cadru=960/2400. 48. FLUTICASONUM PROPIONATSUSP. DE INHAL. PRIN NEBULIZATOR0,5mg/ 2ml, cant minima/maxima ctr subsecv=200/400, cant minima/maxima acord cadru=4800/9600. 15. COMBINATII (VITAMINE HIDROSOLUBILE B1,B2,NICOTINAMIDA, B6, ACID PANTOTENIC,VIT C, BIOTINA, ACID FOLIC,CIANCOBALAMINA,PARAHIDROXIBENZOAT DE METIL)PULB. PT. SOL. PERF.COMBINATII X 10 ML, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 1. Solutie nutritiva pe sonda, in ambalaj de 500 ml, cu 1000 kcal/punga si 50 g proteine/punga, imbogatita cu ulei de peste, fara fibre EMULSIE PERF., cant minima/maxima ctr subsecv=50/100, cant minima/maxima acord cadru=1200/2400. 14. TRIMEBUTINA 24mg/5 ml \* 250 mlSUSPENSIE ORALA24mg/5 ml \* 250 ml, cant minima/maxima ctr subsecv=15/20, cant minima/maxima acord cadru=360/480. 27. LANOLINASUBSTANTA, cant minima/maxima ctr subsecv=1000/5000, cant minima/maxima acord cadru=24000/120000. 28. ACID BORICPULBERECOMBINATII/G, cant minima/maxima ctr subsecv=1000/2000, cant minima/maxima acord cadru=24000/48000. 52. METHYLTHIONINIUM CHLORIDESUBSTANTA, cant minima/maxima ctr subsecv=1000/3000, cant minima/maxima acord cadru=24000/72000. 4. COMBINATII (Clorură de fer (III) hexahidrat 540,00 mcg,Clorură de zinc 1050,00 mcg,Clorură de mangan (II) tetrahidrat 19,79 mcg,Clorură de cupru (II) dihidrat 102,30 mcg,Selenit de sodiu anhidru 17,29 mcg,Molibdat de sodiu dihidrat 4,85 mcg,Iodură de K16,60 mcg,Clorură de crom (III) hexahidrat 5,33m, cant minima/maxima ctr subsecv=100/200, cant minima/maxima acord cadru=2400/4800. 29. DICLOFENACUM+ MISOPROLOLUMCOMPR. GASTROREZ.75 MG/ 0.200 MG, cant minima/maxima ctr subsecv=100/150, cant minima/maxima acord cadru=2400/3600. 3. Solutie standard hipercalorica pentru nutritia enterala, cu fibre (7,5 g/punga), cu 1,5 kcal / ml, cu 37,5 g proteine/punga, cu ulei de peste (EPA+DHA = 50mg/100 ml), ambalata in pungi tip EasyBag d500 ml, fara aroma,cu osmolaritate de 360 mosmol/l, ambalaj compatibil cu sistemele de transfer Applix, cant minima/maxima ctr subsecv=50/100, cant minima/maxima acord cadru=1200/2400. 54. CISPLATINUMCONC.SOL.PERF.10MG(1MG/ 10ML), cant minima/maxima ctr subsecv=20/200, cant minima/maxima acord cadru=480/4800. 46. NITROGLYCERINUMSOL. PERF.1 mg/ml- 10 ML, cant minima/maxima ctr subsecv=200/260, cant

minima/maxima acord cadru=4800/6240. 44. PROPAFENONUMSOL.INJ.70MG/ 20ML, cant minima/maxima ctr subsecv=100/150, cant minima/maxima acord cadru=2400/3600. 23. ANTITHROMBINUM III HUMANUMPULBERE +SOLVENT PT SOL. PERF.50UI/ML, cant minima/maxima ctr subsecv=3/5, cant minima/maxima acord cadru=72/120. 38. MIDAZOLAMUMSOL. INJ./ PERF.1mg/ml-5 ml, cant minima/maxima ctr subsecv=150/200, cant minima/maxima acord cadru=3600/4800. 26. GLICERINA LICHIDASOLUTIE, cant minima/maxima ctr subsecv=1000/5000, cant minima/maxima acord cadru=24000/120000. 2. Solutie standard normocalorica pentru nutritia enterala, fara fibre, cu 1kcal / ml, cu ulei de peste (EPA+DHA = 30 mg/100 ml), ambalata in pungi EasyBag de 500 ml, compatibile cu sistemele de transfer tip Applix. 3,8g% proteine, fara aroma; Osmolaritate 220 mosm/l. EMULSIE PERF., cant minima/maxima ctr subsecv=50/100, cant minima/maxima acord cadru=1200/2400. 40. IBUPROFENUMSOL. PERF.600 mg -100 ML, cant minima/maxima ctr subsecv=800/1000, cant minima/maxima acord cadru=19200/24000. 45. SALBUTAMOLUMSOL. DE INHALAT PRIN NEBULIZATOR5MG/ML-10ML, cant minima/maxima ctr subsecv=50/60, cant minima/maxima acord cadru=1200/1440. 50. BROMOCRIPTINUMDRAJEURI2.5 mg, cant minima/maxima ctr subsecv=60/120, cant minima/maxima acord cadru=1440/2880. 49. METHYLDOPUMCOMPRIMATE250mg, cant minima/maxima ctr subsecv=100/300, cant minima/maxima acord cadru=2400/7200. 51. CHLORQUINALDOLUMPULBERE CUTANATA30 MG/G, cant minima/maxima ctr subsecv=10/20, cant minima/maxima acord cadru=240/480. 19. DROPERIDOLUMSOL. INJ.2,5 mg/ml- 1 ML, cant minima/maxima ctr subsecv=20/50, cant minima/maxima acord cadru=480/1200. 20. BENZYL PENICILLINUMPT SOL.INJ.1000000 UI, cant minima/maxima ctr subsecv=100/120, cant minima/maxima acord cadru=2400/2880. 57. DIGOXINUMCOMPRIMATE0,25MG, cant minima/maxima ctr subsecv=200/250, cant minima/maxima acord cadru=4800/6000. 16. COMBINATII ANTIHEMOROIDALE (TETRACICLINA+ ACETAT DE HIDROCORTIZON+ BENZOCAINA)UNGUENT10MG/5MG/4MG/G, cant minima/maxima ctr subsecv=10/15, cant minima/maxima acord cadru=240/360. 9. EPOETINUM ALFASOL.INJ2000UI/ 1MLSERINGA PREUMPLUTA, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 42. LIDOCAINUMSOL.INJ.100mg/10ml, cant minima/maxima ctr subsecv=800/1000, cant minima/maxima acord cadru=19200/24000. 12. DARBEPOETINUM ALFASOL.INJ40µg/ 0,4mlseringa PREUMPLUTA, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 13. DARBEPOETINUM ALFASOL.INJ50µg/ 0,5mlseringa PREUMPLUTA, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 39. AMINOPHYLLINUMSOL. INJ.24mg/ml -10 ML, cant minima/maxima ctr subsecv=300/350, cant minima/maxima acord cadru=37200/8400. 36. CLORHIDRAT DE DIFENHIDRAMINASOL.INJ.30MG/2 ML, cant minima/maxima ctr subsecv=100/150, cant minima/maxima acord cadru=2400/3600. 35. IOPAMIDOLUMSOL. INJ.755,3MG/ ML-100 ML, cant minima/maxima ctr subsecv=150/200, cant minima/maxima acord cadru=3600/4800. 41. EPHEDRINI HYDROCHLORIDUMSOL.INJ.50MG/ML-1ML, cant minima/maxima ctr subsecv=500/600, cant minima/maxima acord cadru=12000/14400. 6. FLUMAZENILUMSOL.INJ.0,1MG/ML-5ML, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 10. EPOETINUM ALFASOL.INJ4000 UI/ 0.4MLseringa PREUMPLUTA, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 11. EPOETINUM ALFASOL.INJ30000UI/ 0.75MLSERINGA PREUMPLUTA, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 32. ANDEXANET ALFAPULB. PT. SOL. PERF.200mg, cant minima/maxima ctr subsecv=4/5, cant minima/maxima acord cadru=96/120. 55. ERAVACICLINUMPT. CONC. PT. SOL. PERF.100 MG, cant minima/maxima ctr subsecv=20/30, cant minima/maxima acord cadru=480/720. 56. REMIMAZOLAMUMPULB. PT. SOL. INJ.20 mg, cant minima/maxima ctr subsecv=20/30, cant minima/maxima acord cadru=480/720. 7. EPOETINUM BETASOL.INJ10000UI/ 0,6mlseringa PREUMPLUTA, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 31. COMBINATII (IPRATROPII BROMIDUM+ SALBUTAMOLUM)SOL. DE INHALAT PRIN NEBULIZATOR0,5mg/2,5mg, cant minima/maxima ctr subsecv=180/300, cant minima/maxima acord cadru=4320/7200. 8. EPOETINUM BETASOL.INJ5000UI/ 0,3mlSERINGA PREUMPLUTA, cant minima/maxima ctr subsecv=30/50, cant minima/maxima acord cadru=720/1200. 5. LACTULOSUMLICHID/ SOLUTIE ORALA66,7%, cant minima/maxima ctr subsecv=15/30, cant minima/maxima acord cadru=360/720. 22. CAFEINUM CITRATSOL. PERF./SOL.ORALA20mg/ml-1ML, cant minima/maxima ctr subsecv=20/60, cant minima/maxima acord cadru=480/1440. 25. VASELINUM ALBUMSUBSTANTA, cant minima/maxima ctr subsecv=1000/5000, cant minima/maxima acord cadru=24000/120000. 37. DIOSMECTITAPULB. PT. SUSP. ORALA3g/plic, cant minima/maxima ctr subsecv=200/250, cant minima/maxima acord cadru=4800/6000. 18. FACTORI DE COAGULARE II, VII, IX, X, PROTEINA C,S,heparină, citrat de sodiu, apă pentru preparate injectabilePulb.+solv.pt sol.perf.500UI, cant minima/maxima ctr subsecv=10/15, cant minima/maxima acord cadru=240/360. 24. FIBRINOGEN UMANPULB+SOLV.PT.SOL.INJ./PERF.1G, cant minima/maxima ctr subsecv=2/5,

cant minima/maxima acord cadru=48//120. 21. SUGAMMADEXUMSOL.INJ100MG/ ML-2ML, cant minima/maxima ctr subsecv=20/30, cant minima/maxima acord cadru=480/720. 34. METOCLOPRAMIDUMCOMPR.10 MG, cant minima/maxima ctr subsecv=300/350, cant minima/maxima acord cadru=7200/8400. 17. TINZAPARINUMSOL. INJ. IN FLACON10000UI ANTIF Xa /ml-2ml, cant minima/maxima ctr subsecv=200/300, cant minima/maxima acord cadru=4800/7200. 33. Combinatii (Solutie Ringer LACTAT)SOL.PERF.COMBINATII-LACTAT, cant minima/maxima ctr subsecv=2000/3000, cant minima/maxima acord cadru=48000/72000. 53. NATRII CHLORIDUMSOL. PERF.9 mg/ml X 1000 ML, cant minima/maxima ctr subsecv=2000/3000, cant minima/maxima acord cadru=48000/72000. 43. COMBINATII (CLORURA DE CALCIU DIHIDRAT , CLORURA DE MAGNEZIU HEXAHIDRAT, GLUCOZA ANHIDRA/ SOLUTIE ACID LACTIC 90%M/M, CLORURA DE SODIU, HIDROGENOCARBONAT DE SODIU, CLORURA DE POTASIU SOL. PERF)SOL. PT. HEMODIALIZA/HEMOPILTRARECOMBINATII 2MMOL/L, cant minima/maxima ctr subsecv=100/120, cant minima/maxima acord cadru=2400/2880.

---